


Escene ES620/DS622

ES620_xx	Grandstream
	<p>none</p>
<ul style="list-style-type: none"> 480x272 pixels 16 bits HD Color LCD Customizable Screen 8 accounts Multi-angle adjustable bracket Dual-Mode (in DS622): VoIP +PSTN 42 keys including 8 programmable keys HD Codec, HD Handset, HD Speaker Codecs: G.711, G.729A, G.723.1, G.722 Headset (RJ9 and 3.5mm), PoE, 2xFE RJ45, EXT, PSTN HTTP/SIP/SRTP QoS/VLAN/DSCP/ToS BLF, Intercom, XML Phonebook, Private Phonebook Voicemail, 3-way Conference Allow 6 Expansion Modules up to 192 keys Dual-colors LED line keys Hold voice remind Hand-free LED indicator One-key back (C) Multi-lines status real-time indicator <p>... ..</p>	<p>none</p>



Escene ES410/DS412 V.S. Grandstream GXP-2110

ES410/DS412	GXP-2110
	
<ul style="list-style-type: none"> 240x160 pixels graphic LCD with 4-level grey scales 4 accounts Multi-angle adjustable bracket Dual-Mode (in DS412): VoIP +PSTN Broadsoft + Agent Mode (for Call Center) 46 keys including 8 programmable keys HD Codec Codecs: G.711, G.729A, G.723.1, G.722 Headset (RJ9 and 3.5mm), PoE, 2xFE RJ45, EXT, PSTN HTTP/SIP/SRTP QoS/VLAN/DSCP/ToS BLF/BLA, XML Phonebook Voicemail, 3-way Conference Allow 6 Expansion Modules up to 192 keys Dual-colors LED line keys Hold voice remind Hand-free LED indicator One-key back (C) Multi-lines status real-time indicator 	<ul style="list-style-type: none"> 240x120 backlit graphical LCD 4 accounts Not support Not support Broadsoft 18 programmable keys HD Codec Codecs: G.711, G.729AB, G.723.1, G.722, G.726, iLBC, GSM Headset, PoE, 2xFE RJ45 SRTP/TLS QoS/VLAN/DSCP/ToS BLF/BLA, Intercom, XML Phonebook Voicemail, 3-way Conference Allow 2 Expansion Modules up to 112 keys Dual-colors LED line keys





Escene ES330 V.S. Grandstream GXP-2000

ES330_xx	GXP-2000
	
<ul style="list-style-type: none"> 128x64 pixels graphic LCD 3 accounts Multi-angle adjustable bracket 48 keys including 12 programmable keys, HD Codec Codecs: G.711, G.729A, G.723.1, G.722 Headset (RJ9 and 3.5mm), PoE, 2xFE RJ45, EXT, PSTN Allow 6 Expansion Modules up to 192 keys HTTP/SIP/SRTP QoS/VLAN/DSCP/ToS BLF, XML Phonebook Voicemail, 3-way Conference Dual-colors LED line keys Hold voice remind Hand-free LED indicator One-key back (C) Multi-lines status real-time indicator 	<ul style="list-style-type: none"> 130x64 pixels graphic LCD 4 accounts Not support 7 programmable keys HD Codec Codecs: G.711, G.729AB, G.723.1, G.722, G.726, iLBC, GSM Headset, PoE, 2xFE RJ45 Allow 2 Expansion Modules up to 112 keys SRTP/TLS QoS/VLAN/DSCP/ToS XML Phonebook Voicemail, 3-way Conference Dual-colors LED line keys



Escene ES320/DS322 V.S. Grandstream GXP-1450

ES320_xx	GXP-1450
	
<ul style="list-style-type: none"> 128x64 pixels graphic LCD 2 accounts Multi-angle adjustable bracket Dual-Mode (in DS322): VoIP +PSTN 48 keys including 12 programmable keys, HD Codec Codecs: G.711, G.729A, G.723.1, G.722 Headset (RJ9 and 3.5mm), PoE, 2xFE RJ45, EXT, PSTN HTTP/SIP/SRTP QoS/VLAN/DSCP/ToS BLF, XML Phonebook Voicemail, 3-way Conference Dual-colors LED line keys Hold voice remind Hand-free LED indicator One-key back (C) Multi-lines status real-time indicator 	<ul style="list-style-type: none"> 180x60 pixels graphic LCD 2 accounts Not support Not support Not support HD Codec Codecs: G.711, G.729AB, G.723.1, G.722,G.726, iLBC, GSM Headset, PoE, 2xFE RJ45 SRTP/TLS QoS/VLAN/DSCP/ToS XML Phonebook Voicemail, 3-way Conference Dual-colors LED line keys



Escene ES220/DS222 V.S. Grandstream GXP-1200

ES220_xx	GXP-1200
	
<ul style="list-style-type: none"> 128x32 graphic LCD 2 account Dual-Mode (in DS222): VoIP +PSTN 27 keys HD Codec, HD Handset, HD Speaker Codecs: G.711, G.729A, G.723.1, G.722 Headset, PoE, 2xFE RJ45, PSTN HTTP/SIP/SRTP QoS/VLAN/DSCP/ToS XML Phonebook Voicemail, 3-way Conference Hand-free LED indicator Line status real-time indicator 	<ul style="list-style-type: none"> 128x32 pixels graphic LCD 2 account Not support 30 keys, no programmable keys HD Codec Codecs: G.711, G.729AB, G.723.1, G.722, G.726, iLBC, GSM Headset, PoE, 2xFE RJ45 SRTP/TLS QoS/VLAN/DSCP/ToS XML Phonebook Voicemail, 3-way Conference

